

Heavy Duty Service Cart

MODEL SD

Reinforced Service Carts - 2 Shelves

Capacity

- 4,800 Lb

Product Features

- All welded construction (except casters).
- Durable 12 gauge steel shelves with extra under bracing, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - 8" phenolic casters.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf (see options).
- Clearance between shelves - 25".
- Overall height - 38" (Consult Acorn™ for options).

Options

- 2 wheel brakes on swivel casters - Code B8
- Floor Lock - Code F8
- Top shelf lips up - Code GT
- Bottom shelf lips down (flush) - Code FB
- Locking drawer 5"h x 16"w x 20"d with 2 keys - Code DS
- Vinyl matting on top shelf - Code VM
- Writing stand - Code WS
- Other top shelf heights available.



WxL (in)	8" Casters Part No.	
	Phenolic	Wt. (lbs)
24 x 30	SD230-P8	134
36	SD236-P8	150
42	SD242-P8	164
48	SD248-P8	178
60	SD260-P8	206
72	SD272-P8	234
30 x 36	SD336-P8	166
48	SD348-P8	200
60	SD360-P8	232
72	SD372-P8	264
36 x 48	SD448-P8	220
60	SD460-P8	258
72	SD472-P8	296

Acorn Industrial Products Co

Phone: 800-523-5474 Fax: 800-782-6780 Web: AcornIndProd.com E-mail: acorn@AcornIndProd.com

Heavy Duty Low Profile Service Cart

MODEL SS

Heavy Duty Low Profile

Low flush top shelf vibration reduction transporter

Capacity

- 1,200 Lb

Product Features

- All welded construction (except casters), with durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Raised offset handle (12" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - Semi or full pneumatic casters
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf (see options).
- Clearance between shelves - 17".
- Top shelf height - 31" (8" casters).

Options

- 2 wheel brakes on swivel casters - Code BN
- All swivel casters - Code AS
- Floor lock - Code FN
- Top shelf lips up - Code GT
- Bottom shelf lips down (flush) - Code FB
- Locking drawer 5"h x 16"w x 20"d with 2 keys - Code DS
- Vinyl matting on top shelf - Code VM
- Other top shelf heights available.



WxL (in)	8" Casters Part No. Semi-Pneumatic / Full Pneumatic	Wt. (lbs)
24 x 30	SS230-Z8 / SS230-N8	120
36	SS236-Z8 / SS236-N8	130
42	SS242-Z8 / SS242-N8	142
48	SS248-Z8 / SS248-N8	152
60	SS260-Z8 / SS260-N8	172
72	SS272-Z8 / SS272-N8	192
30 x 36	SS336-Z8 / SS336-N8	148
48	SS348-Z8 / SS348-N8	174
60	SS360-Z8 / SS360-N8	198
72	SS372-Z8 / SS372-N8	222
36 x 48	SS448-Z8 / SS448-N8	196
60	SS460-Z8 / SS460-N8	224
72	SS472-Z8 / SS472-N8	254

Acorn Industrial Products Co

Phone: 800-523-5474 Fax: 800-782-6780 Web: AcornIndProd.com E-mail: acorn@AcornIndProd.com

Heavy Duty Ergonomic Service Cart

MODEL EN

Heavy Duty Ergonomic

Super Heavy duty service cart with ergonomic handle for rugged transporting

Capacity

- 4,800 Lb

Product Features

- All welded construction (except casters).
- Durable 12 gauge steel shelves with extra under bracing, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Ergonomic tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - 8" phenolic casters.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf (see options).
- Clearance between shelves - 25".
- Top shelf height - 38" (see options).

Options

- 2 wheel brakes on swivel casters - Code B8
- Floor lock - Code F8
- Top shelf lips up for retention - Code GT
- Both shelf lips down (flush) - Code FB
- Locking drawer 5"h x 16"w x 20"d with 2 keys - Code DS
- Vinyl matting on top shelf - Code VM
- Other top shelf heights available.



WxL (in)	8" Phenolic	Wt. (lbs)
24 x 30	EN230-P8	134
36	EN236-P8	150
42	EN242-P8	164
48	EN248-P8	178
60	EN260-P8	206
72	EN272-P8	234
30 x 36	EN336-P8	166
48	EN348-P8	200
60	EN360-P8	232
72	EN372-P8	266
36 x 48	EN448-P8	222
60	EN460-P8	260
72	EN472-P8	298

Acorn Industrial Products Co

Phone: 800-523-5474 Fax: 800-782-6780 Web: AcornIndProd.com E-mail: acorn@AcornIndProd.com

Ergonomic Platform Trucks


MODELS AP, AH, AS, PY, SY, WH

Heavy Duty Ergonomic Height Flatbed Transporter

Super Heavy duty service cart with ergonomic handle for rugged transporting

Capacity

- Up to 2,000 Lb



Product Features

- Platforms (3 styles):
 - **Structural foam plastic** (non-slip & non-rust surface)
 - **12 gauge steel**
 - **1 in. hard wood** with 1-1/2 in. wood under bracing
- 2 in' square tubular frame
- Removable 1-1/4 in. tubular handle with smooth radius bend mounted into sockets
- Fixed height:
 - Model PY: 27" high platform (31" with pneumatic casters)
 - Model SY: 25" high platform (29" with pneumatic casters)
 - Model WH: 26" high platform (30" with pneumatic casters)
- Adjustable Height: 3 heights - fixed, plus 2" & minus 2" from fixed height models
- Bolt on casters, 2 swivel & 2 rigid, for east placement and superior cart tracking
- Flush platform for easy load and unload
- Handle height above deck - 16"

Options

- 2 wheel brakes on swivel casters - Code B7 or BN
- All swivel casters - Code AS
- Maple butcherblock tops (1-1/4 in. thick) - Available
- Other casters available - 6 in. & 8 in.

Model AP - Plastic (Structural Foam) Adjustable Ergonomic

WxL (in)	Phenolic	5" Rubber	Urethane	Wt. (lbs)
24 x 48	AP248-P7	AP248-R7	AP248-U7	114
30 x 60	AP360-P7	AP360-R7	AP360-U7	132

Model AH - Hard Wood Adjustable Platform

WxL (in)	Phenolic	5" Rubber	Urethane	Wt. (lbs)
24 x 48	AH248-P7	AH248-R7	AH248-U7	116
30 x 60	AH360-P7	AH360-R7	AH360-U7	126

Model AS - Ergonomic Platform Truck - Adjustable Platform

WxL (in)	Phenolic	5" Rubber	Urethane	Wt. (lbs)
24 x 48	AS248-P7	AS248-R7	AS248-U7	122
30 x 60	AS360-P7	AS360-R7	AS360-U7	142

Model PY - Plastic (Structural Foam) Fixed Platform

WxL (in)	Phenolic	5" Rubber	Urethane	Wt. (lbs)
24 x 48	PY248-P7	PY248-R7	PY248-U7	104
30 x 60	PY360-P7	PY360-R7	PY360-U7	120

Model SY - Steel (12 Gauge) Fixed Platform

WxL (in)	Phenolic	5" Rubber	Urethane	Wt. (lbs)
24 x 48	SY248-P7	SY248-R7	SY248-U7	112
30 x 60	SY360-P7	SY360-R7	SY360-U7	136

Model WH - Hard Wood Fixed Platform

WxL (in)	Phenolic	5" Rubber	Urethane	Wt. (lbs)
24 x 48	WH248-P7	WH248-R7	WH248-U7	112
30 x 60	WH360-P7	WH360-R7	WH360-U7	142

Also available in 8" Wheels

Acorn Industrial Products Co

Phone: 800-523-5474 **Fax:** 800-782-6780 **Web:** AcornIndProd.com **E-mail:** acorn@AcornIndProd.com

Mesh Carts

MODEL ZA

3 Sided Mesh With 1 Shelf

Capacity

- 2,000 Lb

Product Features

- Limited access one side.
- Three sides flattened 13 gauge expanded mesh 4' high.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 57".

Options

- 2 wheel brakes on swivel casters - Code B6
- Floor lock (centered on handle end) - Code F6
- Three sides flattened 13 gauge expanded mesh 5' high - Code SF
- Ergonomic handle - Code EH
- Shelf lips down (flush) - Code FA
- Fork lift pockets - 3" x 6" (specify center line) - Code FP
- Other casters and shelf heights available.



WxL (in)	Phenolic	6" Rubber	Urethane	Wt. (lbs)
24 x 36	ZA236-P6	ZA236-R6	ZA236-U6	130
42	ZA242-P6	ZA242-R6	ZA242-U6	138
48	ZA248-P6	ZA248-R6	ZA248-U6	146
60	ZA260-P6	ZA260-R6	ZA260-U6	160
72	ZA272-P6	ZA272-R6	ZA272-U6	174
30 x 48	ZA348-P6	ZA348-R6	ZA348-U6	162
60	ZA360-P6	ZA360-R6	ZA360-U6	178
72	ZA372-P6	ZA372-R6	ZA372-U6	196
36 x 48	ZA448-P6	ZA448-R6	ZA448-U6	178
60	ZA460-P6	ZA460-R6	ZA460-U6	198
72	ZA472-P6	ZA472-R6	ZA472-U6	216

Shelf Carts

MODEL XB

Stainless, 2 Shelf, Standard Handle

Capacity

- 1,200 Lb

Product Features

- All welded construction (except casters).
- Stainless with premium #4 polished shelves in durable 16 gauge.
- 1-1/2" stainless corner angles, and stainless caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking - see specifications chart.
- Caster rigs available in steel or stainless for urethane wheels and steel only for full pneumatic wheels.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- 1-1/2" shelf lips up for retention.
- Top shelf height - 35" (Add 4" for N8 casters)
- Clearance between shelves - 25"

Options

- 2 wheel brakes on swivel casters

Caster Type	Brake Code
U5	B5
S5	BX
N8	BN

- All swivel casters - Code AS
- Vinyl matting on top shelf - Code VM
- Flush top shelf - Code FT
- Both shelves flush - Code FA
- Front leg "L" bumpers - Code LB
- One side (length) lip down other three sides lips up (all shelves) - Code LA
- Other top shelf heights available - specify.
- Thermo-rubber casters available.
- Locking stainless drawer (16"w x 16"d x 4-1/4"h) with 2 keys - Code DZ



WxL (in)	5" Urethane Casters Part No. Steel Rig / Stainless Rig	Wt. (lbs)
18 x 24	XB124-U5 / XB124-S5	52
30	XB130-U5 / XB130-S5	56
36	XB136-U5 / XB136-S5	60
24 x 36	XB236-U5 / XB236-S5	70
48	XB248-U5 / XB248-S5	82
30 x 48	XB348-U5 / XB348-S5	94
60	XB360-U5 / XB360-S5	108

Acorn Industrial Products Co

Phone: 800-523-5474 Fax: 800-782-6780 Web: AcornIndProd.com E-mail: acorn@AcornIndProd.com